ISSN: 2755-0206

Journal of Pathology Research Reviews & Reports



Review Article Open d Access

Application of Irradiation in Food Preservation and Production

Fahim Shaltout

Food Control, Faculty of Veterinary Medicine, Benha University, Egypt

ABSTRACT

The Food irradiation is a tried-and-true technique that's frequently used to improve the quality and the safety of the meat. With the application of this technique, the growth of bacteria, viruses, and parasites is successfully inhibited. By postponing spoiling and inhibiting the growth of the germs, it also extends the shelf life and improves the quality of the items. Provided that the right dosage is applied, the radiation has no effect on the colour, the taste, or the texture of the meats. Its impact on the chemical and the nutritional properties of the meat is more complicated, though, as it may change the vitamins, the fatty acids, the amino acids, and produce the free radicals that oxidise the fat. The impact of these modifications is dependent on a number of factors, such as the kind of the meat, the storage conditions, and the radiation exposure. The Meat's physical characteristics, such as its softness, the texture, and the dose-dependent ability to retain the water, can also be impacted by the radiation. Low amounts of the radiation may enhance texture and softness, while excessive doses cause protein denaturation, which adversely affects these characteristics. The regulatory and the public perception elements of the food irradiation are also examined in this study. Although the radiation is permitted and regulated in many nations, its use is debatable and causes anxiety in the public. The Food irradiation is a dependable method of enhancing the safety and the quality of the meat; nevertheless, it is important to take into account the effects it may have on the chemical, physical, and nutritional characteristics of the product when selecting the right dosage and application. To better understand the long-term effects of the radiation on the meat and allay consumer worries, further study is thus required.

*Corresponding author

Fahim Shaltout, Food Control, Faculty of Veterinary Medicine, Benha University, Egypt.

Received: July 12, 2024; Accepted: July 18, 2024; Published: September 30, 2024

Keywords: Food Irradiation, Quality, Safety, Meat

Introduction

The Meat is a valuable element of the human diet as it contains essential elements such as the protein, the vitamins, and the minerals. However, these foods are also vulnerable to microbial pathogens and spoilage, posing significant risks to the human health. The Ionizing radiation is used in the food irradiation to maintain the safety and quality of the food items, specifically the meat [1-8].

For decades, the food irradiation has been used to reduce microbial contamination and extend the storage period. The procedure entails subjecting the food item to a regulated amount of the ionizing radiation, usually accomplished by applying gamma rays, electron beams, or X-rays. The radiation disrupts the DNA and other cellular components of microbes, making them unable to reproduce and causing their death. The procedure also the breaks down some of the molecules in the food product, which can affect its nutritional quality and sensory properties [9-17].

Despite its potential benefits, the food irradiation remains controversial, with concerns about its safety, efficacy, and impact on the nutritional quality and sensory properties of food products [18-26]. Some critics argued that the food irradiation could create the harmful compounds or destroy the essential nutrients. In contrast, others questioned the need for the irradiation, considering other food safety measures, such as the good manufacturing

practices and the foodtesting. The Consumer acceptance of the irradiated food products also needs to be addressed, with some people expressing concerns about their safety and the acceptability [27-35].

This comprehensive research aims to critically evaluate the existing literature on the food irradiation and its repercussions on the quality and safety of the meat. The proof of the irradiation effectiveness at lowering the microbial contamination and prolonging the shelf life of the meats is explored along with its potential impact on the physical and the chemical characteristics, nutrient content, and sensory properties [36-44]. This paper will also address the regulatory framework for the food irradiation, including labeling requirements and government oversight, as well as identify areas for further research and policy development [45-52].

The Sources and the Principles of the Food Irradiation

The Ionizing radiation, such as the gamma rays, X-rays, or the high-energy electrons, is used to irradiate the food. The Food irradiation is generally determined by the absorbed dose expressed in Gray (Gy) or kilo Gray (kGy), with 1 Gray being equivalent to 1 J/kg of product. The technique is considered a safe and effective way to decrease or eliminate hazardous microbes, prolong shelf life, as well as enhance the quality and safety of the food products. The principles of the food irradiation are determined by the ability to disrupt the genetic material of microorganisms, preventing them from reproducing or causing the illness. The irradiation affects the microorganisms' genetic material (the DNA or the RNA)

J Pathol Res Rev Rep, 2024 Volume 6(5): 1-8

directly and indirectly. The Direct irradiation can break the bonds between the base pairs in the genetic material, killing the cell's reproduction ability. Then, on the other hand, the damage to the water molecules creates the free radicals and the reactive oxygen species, which damage the genetic material indirectly [53-59]. The Irradiation also helps to break down certain enzymes and the proteins in the food that can contribute to the spoilage, thereby increasing the shelf life [60-65]. USA, Canada, as well as several European and Asian nations, allow the food irradiation by using the Cobalt-60, the cesium-137, and the electron-beam accelerators. The Cobalt-60, the most prevalent source of the ionizing radiation for the food irradiation, is a radioactive isotope that emits gamma rays capable of penetrating deep into the food products to destroy harmful microorganisms. Cesium-137 is another source of the ionizing radiation, although it is less commonly used than cobalt-60. In addition, the electron-beam accelerators are used for the food irradiation. These devices generate high-energy electrons that can penetrate the food products to eliminate the harmful microorganisms and extend the shelf life [66-72]. Irradiating the foods has several benefits, including multifunctional applications as well as guaranteed safety and security. The spectrum produced is effective against bacterial spores across a broad range of concentrations. The processing does not involve heat, it is safe for the food, does not significantly reduce nutrient levels, leaves no chemical residues, and is simple to control during the use [73-81]. To effectively lengthen the lifespan of irradiated food products. the following principles must be observed as the Radurization uses low doses of 0.1-1 kGy. This amount inhibits respiration, delays ripening, disinfects pests, and inactivates the Trichinella parasite. The Radicidation is referred to as a moderate dose. This radiation uses a quantity of approximately 1-10 kGy, which has the effect of reducing the spoilage and the microbial pathogens including Salmonella sp. And Listeria monocytogenes. This dosage is typically found in the frozen foods and its application is identical to that of pasteurization, except irradiation does not rely on the thermal energy. The Radapertization uses extremely high doses which are above or equal to 10 kGy, ranging between 30 and 50 kGy. This dose is typically used in the sterilization process because its effect can kill all microorganisms in the foodstuffs up to the level of spores [82-86]. The food irradiation sources and the principles are based on the ability of the ionizing radiation to disrupt the genetic material of the microorganisms, enzymes, and proteins in food products, culminating in improved the safety and the quality. The use of the irradiation is regulated by the national and the international authorities to ensure its safety and effectiveness [87-92].

The Effects of the Irradiation on the Meat The Microbial Safety

The Microbial safety is a critical aspect of the meat production and the consumption, as these products can be a source of various harmful microorganisms that can cause the foodborne illness. The Meat products are potentially contaminated with various pathogens, such as the Salmonella, the Escherichia coli, the Campylobacter, and the Listeria monocytogenes, leading to severe illness or the death in vulnerable populations [93-100].

Contamination might occur at the production, the processing, or the distribution stage, including on the farm, during transport, in the slaughterhouses or the processing facilities, and in the retail outlets or at the home. The Improper handling and the storage of the meat products can also increase the risk of contamination. The Foodborne illness outbreaks related to the meat have been reported globally, with the various types of products being implicated, including the ground beef, the chicken, the pork, and the processed meats. These outbreaks have led to significant public health and economic consequences, highlighting the importance of effective interventions to reduce the risk of the contamination [101-109].

The Irradiation has been studied extensively for its efficacy in reducing the microbial contamination of the meat. By exposing the food to the ionizing radiation, the latter reduces or eliminates the harmful microorganisms that can cause the foodborne illness. Previous research showed that the irradiation could effectively reduce levels of the pathogens such as the Salmonella and the Escherichia coli as well as the levels of the spoilage organisms. leading to improve the microbial safety and a reduced the risk of the foodborne illness. The effectiveness of various types of the ionizing radiation on the meat, including the gamma rays and the e-beams, has been studied [110-119]. The gamma ray irradiation is more effective than e-beam irradiation is at inhibiting the microbial growth in the meat. The UV light effectively eliminates the Salmonella spp., the Pseudomonas, the Micrococcus, and the Staphylococcus on the meat. The shelf life of the meat products is extended by eliminating these contaminant ting bacteria. The Gamma irradiation at low doses can improve the microbiological safety, ensure safety, and extend the chicken meat's shelf life without affecting the quality. Three kGy gamma-irradiated bovine meat reduced the growth of the mesophilic bacteria, the coliforms, and the Staphylococcus aureus. The Food and Drug Administration (FDA) determined that a 3.5 kGy gamma ray irradiation dose effectively eliminates the pathogenic microbes from the fresh meat. The Irradiation had the effect of slowing the growth of the bacterial cells and deactivating their metabolism. The Bacteria are inherently resistant to the effects of the irradiation and, in the lag phase or inactive state will be more resistant. In contrast, those in the growth phase will be more vulnerable [120-128].

The Chemical Properties

The chemical properties of the irradiated meat refer to the changes that occur to the chemical constituents and compositions of the food due to exposure to the ionizing radiation. The Irradiation can cause both desirable and undesirable effects on the chemical characteristics of the meat, depending on the dose and the specific compounds in the food. One of the most significant changes often observed in the irradiated meat products is the formation of the free radicals. They become reactive molecules that damage cellular components and cause the oxidative stress. This leads to the lipid oxidation, which causes off-flavors and odors, as well as a decline in the nutritional quality due to the loss of the essential fatty acids and other nutrients. However, the irradiation at the lower doses also aids the lipid oxidation by reducing the levels of peroxides and other reactive species. This procedure also affects the protein content of the meat, leading to alterations in the composition of the amino acids, protein structure, and the digestibility [129-136]. These changes have potentially positive and negative effects, mostly on the nutritional value of the food, that are contingent upon the particular proteins involved and the dose of the radiation used. The positive effects of the irradiation include the fact that the irradiation can cause the formation of the reactive species, such as the free radicals, which can cause the formation of the covalent bonds between the amino acids in the protein molecules. This cross-linking can change the structure of a protein molecule and make it resistant to the enzymatic digestion, which causes a decrease in the protein digestibility [133-146]. The Irradiation can also cause the denaturation of the protein molecules. The

J Pathol Res Rev Rep, 2024 Volume 6(5): 2-8

Denaturation involves opening the protein structure, which can facilitate the interactions between the amino acids and increase the accessibility of the digestive enzymes to the protein molecules, and it can also improve the protein digestibility. However, the irradiation can also cause adverse effects; namely, the excessive irradiation can cause a breakdown of or the change in the amino acid compounds in the protein molecules, which causes a decrease in the overall amino acid content and, consequently, decreases the protein digestibility. The electron-beam irradiation at less than 3 kGy did not affect changes in the quality of the smoked duck flesh (the amino acids, the fatty acids, and the volatiles) during the storage [147-154].

Aside from these chemical changes, the irradiation also affects the vitamin content of the meat products, with some vitamins being more sensitive than others. For example, the irradiation leads to a loss of the vitamin C, while other vitamins, such as the vitamin A and E, are relatively stable. The Irradiation has been shown to alter the meat's oxidation–reduction ability, accelerating the lipid oxidation, the protein breakdown, and the flavor and the odor changes [155-161].

When combined with certain antioxidants, such as the flavonoids, the irradiation can help prolong the induction period of the lipid oxidation. The storage of the irradiated meat at 5–10 C for one week almost did not change the pH, the texture, the total volatile base nitrogen (TVBN), or the microbe number. The higher dose of the UV irradiation increased 2-thiobarbituric acid (TBA) content, decreased water-holding capacity (WHC), and decreased the beef color intensity and tenderness. Two point five and 5 kGy gamma irradiation reduced nitrite content in the chicken sausages and prevented the oxidation when combined with antioxidants. The titratable acidity and the acid value in the meat samples can be reduced by the irradiation [162-171].

Conclusion

One promising technique that might enhance the safety and the quality of the meat is the food irradiation. According to recent study, the irradiation can preserve the nutritional value of the meat products, decrease microbial contamination, and increase shelf life. To overcome this issue, more study is necessary as the sensory characteristics can be adversely affected. It is also significant to remember that labelling regulations for irradiated meat products exist, and that the irradiation in the food processing is governed by both the national and the international bodies. The Government organisations play a crucial role in guaranteeing the security and the quality of the customers.

Conflicts of Interest

The author declare no conflicts of interest

References

- Shaltout F, Riad EM, Abou Elhassan Asmaa (2017) Prevalence of Mycobacterium Tuberculosis in Imported cattle Offals and Its lymph Nodes. Veterinary Medical Journal -Giza (VMJG) 63: 115-122.
- 2. Pereira P, Vicente A (2013) Meat Nutritional Composition and Nutritive Role in the Human Diet. Meat Sci 93: 586-592.
- 3. Shaltout F, Riad EM, Asmaa Abou-Elhassan (2017) Prevalence of Mycobacterium Spp. In Cattle Meat and Offal's Slaughtered in And Out Abattoir. Egyptian Veterinary medical Association 77: 407-420.
- 4. Abd Elaziz O, Fatin S Hassanin, Fahim AShaltout, Othman

- A Mohamed (2021) Prevalence of Some Foodborne Parasitic Affection in Slaughtered Animals in Loacal Egyptian Abottoir. Journal of Nutrition Food Science and Technology 2: 1-5.
- 5. Klurfeld DM (2018) What Is the Role of Meat in a Healthy Diet? Anim Front 8: 5-10.
- 6. Abd Elaziz O, Fatin S Hassanin, FahimA Shaltout, Othman A Mohamed (2021) Prevalence of some zoonotic parasitic affections in sheep carcasses in a local abattoir in Cairo, Egypt. Advances in Nutrition & Food Science 6: 25-31.
- Al Shorman AAM, Shaltout F, Hilat N (1999) Detection of certain hormone residues in meat marketed in Jordan Jordan University of Science and Technology. 1st International Conference on Sheep and goat Diseases and Productivity.
- Saucier L (2016) Microbial Spoilage, Quality and Safety within the Context of Meat Sustainability. Meat Sci 120: 78-84.
- 9. Saif M, Saad SM, Hassanin FS, Shaltout F, Marionette Zaghlou (2019) Prevalence of methicillin-resistant Staphylococcus aureus in some ready-to-eat meat products. Benha Veterinary Medical Journal 37: 12-15.
- Farag AA, Saad M Saad, Fahim A Shaltout, Hashim F Mohammed (2023) Studies on Pesticides Residues in Fish in Menofia Governorate. Benha Journal of Applied Sciences 8: 323-330.
- Reygaert W (2018) An Overview of the Antimicrobial Resistance Mechanisms of Bacteria. AIMS Microbiol 4: 482-501.
- 12. Farag AA, Saad M Saad, Fahim A Shaltout, Hashim F Mohammed (2023) Organochlorine Residues in Fish in Rural Areas. Benha Journal of Applied Sciences 8: 331-336.
- 13. Shaltout F, Mona N Hussein, Nada Kh Elsayed (2023) Histological Detection of Unauthorized Herbal and Animal Contents in Some Meat Products. Journal of Advanced Veterinary Research 13: 157-160.
- 14. Yemmireddy V, Adhikari A, Moreira J (2022) Effect of Ultraviolet Light Treatment on Microbiological Safety and Quality of Fresh Produce: An Overview. Front Nutr 9: 871243.
- 15. Shaltout F, Heikal GI, Ghanem AM (2022) Mycological quality of some chicken meat cuts in Gharbiya governorate with special reference to Aspergillus flavus virulent factors. benha veteriv medical journal veterinary 42: 12-16.
- 16. Shaltout F, Ramadan M Salem, Eman M Eldiasty, Fatma A Diab (2022) Seasonal Impact on the Prevalence of Yeast Contamination of Chicken Meat Products and Edible Giblets. Journal of Advanced Veterinary Research 12: 641-644.
- 17. Shaltout F, Abdelazez Ahmed Helmy Barr, Mohamed Elsayed Abdelaziz (2022) Pathogenic Microorganisms in Meat Products. Biomedical Journal of Scientific & Technical Research 41: 32836-32843.
- 18. Shaltout F, Thabet MG, Koura HA (2017) Impact of Some Essential Oils on the Quality Aspect and Shelf Life of Meat. J Nutr Food Sci 7: 647.
- 19. Ehlermann DAE (2014) Safety of Food and Beverages: Safety of Irradiated Foods. In Encyclopedia of Food Safety. Academic Press: Waltham, MA, USA 3: 447-452.
- Shaltout F, Islam Z Mohammed, El -Sayed A Afify (2020) Bacteriological profile of some raw chicken meat cuts in Ismailia city, Egypt. Benha Veterinary Medical Journal 39: 11-15.
- 21. Shaltout F, Islam Z Mohammed, El-Sayed A Afify (2020) Detection of E. coli O157 and Salmonella species in some raw chicken meat cuts in Ismailia province, Egypt. Benha Veterinary Medical Journal 39: 101-104.

J Pathol Res Rev Rep, 2024 Volume 6(5): 3-8

- 22. Lianou A, Panagou EZ, Nychas GJE (2017) Meat Safety-I Foodborne Pathogens and Other Biological Issues. Lawrie's Meat Science: Eighth Edition 521-552.
- Shaltout F, EM El-diasty, MA Asmaa- Hassan (2020) HYGIENIC QUALITY OF READY TO EAT COOKED MEAT IN RESTAURANTS AT Cairo. Journal of Global Biosciences 8: 6627-6641.
- 24. Shaltout F, Marrionet Z Nasief, LM Lotfy, Bossi T Gamil (2019) Microbiological status of chicken cuts and its products. Benha Veterinary Medical Journal 37: 57-63.
- Shaltout F (2019) Poultry Meat. Scholarly Journal of Food and Nutrition 22: 1-2.
- Marin C, Cerdà-Cuéllar M, González-Bodi S, Lorenzo-Rebenaque L, Vega S (2022) Research Note: Persistent Salmonella Problem in Slaughterhouses Related to Clones Linked to Poultry Companies Poult Sci 101: 101968.
- 27. Saad SM, Shaltout F, Nahla A Abou Elroos, Saber B Elnahas (2019) Antimicrobial Effect of Some Essential Oils on Some Pathogenic Bacteria in Minced Meat. J Food Sci Nutr Res 2: 12-20.
- 28. Saad SM, Shaltout F, Nahla A Abou Elroos, Saber B El-nahas (2019) Incidence of Staphylococci and E. coli in Meat and Some Meat Products. EC Nutrition 14.
- D'Souza C, Apaolaza V, Hartmann P, Brouwer AR, Nguyen N (2021) Consumer Acceptance of Irradiated Food and Information Disclosure-A Retail Imperative. J Retail Consum Serv 63: 102699.
- Saad SM, Hassanin FS, Shaltout F, Marionette Z Nassif, Marwa Z Seif (2019) Prevalence of Methicillin-Resistant Staphylococcus Aureus in Some Ready-to-Eat Meat Products. American Journal of Biomedical Science & Research 4: 460-464.
- 31. Shaltout F (2019) Pollution of Chicken Meat and Its Products by Heavy Metals. Research and Reviews on Healthcare: Open Access Journal 4: 381-382.
- 32. Putri MS, Susanna D (2018) Food Safety Knowledge, Attitudes, and Practices of Food Handlers at Kitchen Premises in the Port 'X' Area, North Jakarta, Indonesia 2018. Ital J Food Saf 10: 9215.
- Shaltout FA, EL-diasty EM, Mohamed MSM (2018) Effects of chitosan on quality attributes fresh meat slices stored at 4 C. BENHA VETERINARY MEDICAL JOURNAL 35: 157-168.
- 34. Shaltout F, Adel Aziz (2004) Salmonella enterica serovar Enteritidis in poultry meat and their epidemiology. Vet Med J Giza 52: 429-436.
- 35. Shaltout F, Hala F El-Shorah, Dina I El Zahaby, Lamiaa M Lotfy (2018) Bacteriological Profile of Chicken Meat Products. SciFed Food & Dairy Technology Journal 2: 3.
- Shaltout F, Zakaria IM, Jehan Eltanani, Asmaa Elmelegy (2015) Microbiological status of meat and chicken received to University student hostel. BENHA VETERINARY MEDICAL JOURNAL 29: 187-192.
- 37. Monteiro MLG, Mársico ET, Mano SB, Teixeira CE, Canto ACVdCS, et al. (2013) Influence of Good Manufacturing Practices on the Shelf Life of Refrigerated Fillets of Tilapia (Oreochromis Niloticus) Packed in Modified Atmosphere and Gamma-irradiated. Food Sci Nutr 1: 298-306.
- Saad SM, Edris AM, Shaltout F, Edris Shimaa (2012)
 Isolation and identification of salmonellae and E.coli from meat and poultry cuts by using A.multiplex PCR. Benha Vet MedJspecial issue 16-26.
- 39. Saad SM, Shaltout F (1998) Mycological Evaluation of camel carcasses at Kalyobia Abattoirs. Vet Med J Giza 46: 223-229.

- 40. Hassanzadeh P, Tajik H, Rohani SMR, Moradi M, Hashemi M, et al. (2017) Effect of Functional Chitosan Coating and Gamma Irradiation on the Shelf-Life of Chicken Meat during Refrigerated Storage. Radiat Phys Chem 141: 103-109.
- 41. Saad SM, Shaltout F, Nahla A Abou Elroos, Saber B Elnahas (2019) Antimicrobial Effect of Some Essential Oils on Some Pathogenic Bacteria in Minced Meat. J Food Sci Nutr Res 2: 12-20.
- Saad SM, Hassanin FS, Shaltout F, Marionette Z Nassif, Marwa Z Seif (2019) Prevalence of Methicillin-Resistant Staphylococcus Aureus in Some Ready-to-Eat Meat Products. American Journal of Biomedical Science & Research 4: 460-464.
- Castell-Perez ME, Moreira RG (2021) Irradiation and Consumers Acceptance. Innov Food Process Technol A Compr Rev 2: 122-135.
- 44. Saad SM, Shaltout F, Nahla A Abou Elroos, Saber B El-nahas (2019) Incidence of Staphylococci and E coli in Meat and Some Meat Products. EC Nutrition 14.
- 45. Shaltout F, Riad EM, TES Ahmed, Abou Elhassan A (2017) Studying the Effect of Gamma Irradiation on Bovine Offal's Infected with Mycobacterium tuberculosis Bovine Type. Journal of Food Biotechnology Research 1: 1-5.
- 46. Maherani B, Hossain F, Criado P, Ben Fadhel Y, Salmieri S, et al. (2016) World Market Development and Consumer Acceptance of Irradiation Technology. Foods 5: 79.
- 47. Shaltout F, Ahmed A A Maarouf, Mahmoud ES Elkhouly (2017) Bacteriological Evaluation of Frozen Sausage. Nutrition and Food Toxicology 1: 174-185.
- 48. Shaltout F, Zakaria IM, Nabil ME (2018) Incidence of Some Anaerobic Bacteria Isolated from Chicken Meat Products with Special Reference to Clostridium perfringens. Nutrition and Food Toxicology 33: 292-304.
- Shaltout F, Mohamed, Hassan A, Hassanin FS (2004) THERMAL INACTIVATION OF ENTEROHAEMORRHAGIC ESCHERICHIA COLI 0157:H7 AND ITS SENSTIVITY TO NISIN AND LACTIC ACID CULTURES. 1rst Ann Confr FVM Moshtohor 1: 336-344.
- Arvanitoyannis IS (2010) Consumer Behavior toward Irradiated Food. In Irradiation of Food Commodities: Techniques, Applications, Detection, Legislation, Safety and Consumer Opinion; Arvanitoyannis, I.S.B.T.-I. Academic Press: Boston MA USA 673-698.
- 51. Shaltout F, El-diasty EM, Elmesalamy M1, Elshaer M (2014) Study on fungal contamination of some chicken meat products with special reference to 2 the use of PCR for its identification. Conference Veterinary Medical Journal-Giza 1: 1-10.
- Shaltout F (2002) Microbiological Aspects of Semi-cooked chicken Meat Products. Benha Veterinary Medical Journal 2: 15-26.
- 53. Shaltout F, Edris AM (1999) Contamination of shawerma with pathogenic yeasts. Assiut Veterinary Medical Journal 40: 34-39.
- 54. Oh H, Yoon Y, Yoon JW, Oh SW, Lee S et al. (2023) Salmonella Risk Assessment in Poultry Meat from Farm to Consumer in Korea. Foods 12: 649.
- 55. Shaltout F, Eldiasty E, Mohamed MS (2014) Incidence of lipolytic and proteolytic fungi in some chicken meat products and their public health significance. Animal Health Research Institute: First International Conference on Food Safety and Technology, Cairo Egypt 79-89.
- 56. Ehlermann DAE (2016) Particular Applications of Food Irradiation: Meat, Fish and Others. Radiat Phys Chem 129:

J Pathol Res Rev Rep, 2024 Volume 6(5): 4-8

- 53-57.
- 57. Shaltout F, Eldiasty E, Salem R, Hassan Asmaa (2016) Mycological quality of chicken carcasses and extending shelf life by using preservatives at refrigerated storage. Veterinary Medical Journal -Giza (VMJG) 62: 1-7.
- 58. Shaltout F, Salem R, Eldiasty E, Diab Fatema (2016) Mycological evaluation of some ready to eat meat products with special reference to molecular chacterization. Veterinary Medical Journal-Giza 62: 9-14.
- 59. Farkas J, Mohácsi-Farkas C (2011) History and Future of Food Irradiation. Trends Food Sci. Technol 22: 121-126.
- 60. Shaltout F, Elshater M, Wafaa Abdelaziz (2015) Bacteriological assessment of street vended meat products sandwiches in Kalvobia Governorate. Benha Vet Med J 28: 58-66.
- 61. Shaltout F, Gerges MT, Shewail AA (2018) Impact of Organic Acids and Their Salts on Microbial Quality and Shelf Life of Beef. Assiut veterinary medical journal 64: 164-177.
- 62. Da Vinha ACMF, Sousa e Silva CAdA (2022) Overview of Irradiation: Advantages to Foods of Plant Origin. South Florida J Health 3: 248-262.
- 63. Shaltout F, Ghoneim AM, Essmail ME, Yousseif A (2001) Studies on aflatoxin B1 residues in rabbits and their pathological effects. J Egypt Vet Med Association 61: 85-103.
- 64. Ahn DU, Kim IS, Lee EJ (2013) Irradiation and Additive Combinations on the Pathogen Reduction and Quality of Poultry Meat Poult Sci 92: 534-545.
- Shaltout F, Hanan MT El-Lawendy (2003) Heavy Metal Residues in Shawerma. Beni-Suef Vet Med J 13: 213-224.
- Shaltout F, Salem RM (2000) Moulds, aflatoxin B1 and Ochratoxin A in Frozen Livers and meat products. Vet Med J Giza 48: 341-346.
- 67. Nam KC, Jo C, Ahn DU (2016) Irradiation of Meat and Meat Products. In Emerging Technologies in Meat Processing: Production, Processing and Technology. JohnWiley & Sons, Ltd.: Hoboken, NJ, USA 7-36.
- 68. Yasser H Al-Tarazi, A Al-Zamil, Shaltout F, H Abdel-Samei (2002) Microbiological status of raw cow milk marketed in northern Jordan. AVMJ 49: 180-194.
- Shaltout F, Zakaria IM, Nabil ME (2018) Incidence of Some Anaerobic Bacteria Isolated from Chicken Meat Products with Special Reference to Clostridium perfringens. Nutrition and Food Toxicology 2: 429-438.
- 70. Shaltout F, El-diasty EM, Mohamed MS (2014) Incidence of lipolytic and proteolytic fungi in some chicken meat products and their public health significance. 1st Scientific conference of food safety and Technology 79-89.
- 71. Shaltout F, El-diasty EM, Salem RM, Asmaa MA Hassan (2016) Mycological quality of chicken carcasses and extending shelf-life by using preservatives at refrigerated storage. Veterinary Medical Journal Giza 62: 1-10.
- Borrego-Soto G, Ortiz-López R, Rojas-Martínez A (2015) Ionizing Radiation-Induced DNA Injury and Damage Detection in Patients with Breast Cancer. Genet Mol Biol 38: 420-432.
- Hassanin FS, Hassan MA, Shaltout F, Elrais-Amina M (2014) CLOSTRIDIUM PERFRINGENS IN VACUUM PACKAGED MEAT PRODUCTS. BENHA VETERINARY MEDICAL JOURNAL 26: 49-53.
- 74. Hassanien FS, Shaltout F, Fahmey MZ, Elsukkary HF (2020) Bacteriological quality guides in local and imported beef and their relation to public health. Benha Veterinary Medical Journal 39: 125-129.
- 75. Munir MT, Federighi M (2020) Control of Foodborne Biological Hazards by Ionizing Radiations. Foods 9: 878.

- Hassanin FS, Shaltout F, Mostafa EM (2013) Parasitic affections in edible offal. Benha Vet Med J 25: 34-39.
- 77. Hassanin FS, Shaltout F, Lamada HM, Abd Allah EM (2011) THE EFFECT OF PRESERVATIVE (NISIN) ON THE SURVIVAL OF LISTERIA MONOCYTOGENES. BENHA VETERINARY MEDICAL JOURNAL 141-145.
- 78. Ham YK, Kim HW, Hwang KE, Song DH, Kim YJ, et al. (2017) Effects of Irradiation Source and Dose Level on Quality Characteristics of Processed Meat Products. Radiat Phys Chem 130: 259-264.
- Khattab E, Fahim Shaltout, Islam Sabik (2021) Hepatitis A virus related to foods. BENHA VETERINARY MEDICAL JOURNAL 40: 174-179..
- 80. Saad M Saad, Fahim A Shaltout, Amal AA Farag, Hashim F Mohammed (2022) Organophosphorus Residues in Fish in Rural Areas. Journal of Progress in Engineering and Physical Science 1: 27-31.
- 81. Saif M, Saad SM, Hassanin FS, Shaltout F, Marionette Zaghloul (2019) Molecular detection of enterotoxigenic Staphylococcus aureus in ready-to-eat beef products. Benha Veterinary Medical Journal 37: 7-11.
- 82. Shaltout F, RM Salem, EM El-Diasty, WIM Hassan (2019) Effect of Lemon Fruits and Turmeric Extracts on Fungal Pathogens in Refrigerated Chicken Fillet Meat. Global Veterinaria 21: 156-160.
- 83. Shaltout F, El-diasty EM, Elmesalamy M, Elshaer M (2014) Study on fungal contamination of some chicken meat products with special reference to 2 the use of PCR for its identification. Conference, Veterinary Medical Journal Giza 60: 1-10.
- 84. Shaltout F, Salem RM, El-diasty Eman, Fatema AH Diab (2016) Mycological evaluation of some ready to eat meat products with special reference to molecular characterization. Veterinary Medical Journal Giza 62: 9-14.
- 85. Lima F, Vieira K, Santos M, de Souza PM (2018) Effects of Radiation Technologies on Food Nutritional Quality; IntechOpen: London, UK 137-146.
- Shaltout F, Ahmed AA Maarouf, Eman MK Ahmed (2018)
 Heavy Metal Residues in chicken cuts up and processed
 chicken meat products. BENHA VETERINARY MEDICAL
 JOURNAL 34: 473-483.
- 87. Shaltout F, Hanan M Lamada, Ehsan AM Edris (2020) Bacteriological examination of some ready to eat meat and chicken meals. Biomed J Sci & Tech Res 27: 20461-20465.
- 88. Sobhy Asmaa, Shaltout Fahim (2020) Prevalence of some food poisoning bacteria in semi cooked chicken meat products at Qaliubiya governorate by recent Vitek 2 compact and PCR techniques. Benha Veterinary Medical Journal 38: 88-92.
- 89. European Food Safety Authority. Scientific Opinion on the Efficacy and Microbiological Safety of Irradiation of Food. EFSA J 9: 2103.
- Sobhy Asmaa, Shaltout Fahim (2020) Detection of food poisoning bacteria in some semi-cooked chicken meat products marketed at Qaliubiya governorate. Benha Veterinary Medical Journal 38: 93-96.
- 91. Shaltout FA (2024) Abattoir and Bovine Tuberculosis as a Reemerging Foodborne Diseas. Clinical Medical Reviews and Report 6: 1-7.
- 92. Shaltout FA (2023) Viruses in Beef, Mutton, Chevon, Venison, Fish and Poultry Meat Products. Food Science & Nutrition Technology 8: 1-10.
- 93. Ebeed Saleh, Fahim Shaltout, Essam Abd Elaal (2021) Effect of some organic acids on microbial quality of dressed cattle carcasses in Damietta abattoirs, Egypt. Damanhour Journal of Veterinary Sciences 5: 17-20.

J Pathol Res Rev Rep, 2024 Volume 6(5): 5-8

- Edris A, Hassanin FS, Shaltout F, Azza H Elbaba, Nairoz M Adel (2017) Microbiological Evaluation of Some Heat Treated Fish Products in Egyptian Markets. EC Nutrition 12: 124-132.
- 95. Bantawa K, Rai K, Subba Limbu D, Khanal H (2018) Food-Borne Bacterial Pathogens in Marketed Raw Meat of Dharan, Eastern Nepal. BMC Res Notes 11: 618.
- 96. Edris A, Hassan MA, Shaltout F, Elhosseiny S (2013) Chemical evaluation of cattle and camel meat. BENHA VETERINARY MEDICAL JOURNAL 24: 191-197.
- 97. Edris AM, Hassan MA, Shaltout F, Elhosseiny S (2012) Detection of E.coli and Salmonella organisms in cattle and camel meat. BENHA VETERINARY MEDICAL JOURNAL 24: 198-204.
- 98. Madoroba E, Magwedere K, Chaora NS, Matle I, Muchadeyi F, et al. (2021) Microbial Communities of Meat and Meat Products: An Exploratory Analysis of the Product Quality and Safety at Selected Enterprises in South Africa. Microorganisms 9: 507.
- 99. Edris AM, Hemmat MI, Shaltout F, Elshater MA, Eman FMI (2012) STUDY ON INCIPIENT SPOILAGE OF CHILLED CHICKEN CUTS-UP. BENHA VETERINARY MEDICAL JOURNAL 23: 81-86.
- 100. Schevey CT, Toshkov S, Brewer MS (2013) Effect of Natural Antioxidants, Irradiation, and Cooking on Lipid Oxidation in Refrigerated, Salted Ground Beef Patties. J Food 78: S1793-S1799.
- 101.Morrison RM (1990) Economics of Food Irradiation: Comparison between Electron Accelerators and Cobalt-60. Int J Radiat Appl Instrum Part 35: 673-679.
- 102. Shaltout F, Thabet MG, Hanan A Koura (2017) Impact of some essential oils on the quality aspect and shelf life of meat. BENHA VETERINARY MEDICAL JOURNAL 33: 351-364.
- 103.Erkmen O, Bozoglu TF (2016) Food Preservation by Irradiation. In Food Microbiology: Principles into Practice. John Wiley & Sons Ltd: Hoboken NJ USA 106-126.
- 104. Shaltout F, Mohammed Farouk, Hosam AA, Ibrahim, Mostafa EM Afifi (2017) Incidence of Coliform and Staphylococcus aureus in ready to eat fast foods. BENHA VETERINARY MEDICAL JOURNAL 32: 13-17.
- 105. Shaltout F, Zakaria IM, Nabil ME (2017) Detection and typing of Clostridium perfringens in some retail chicken meat products. BENHA VETERINARY MEDICAL JOURNAL 33: 283-291.
- 106.(2012) Food and Drug Administration HHS. Irradiation in the Production, Processing and Handling of Food. Final Rule Fed Regist 77: 71316-71320.
- 107. Shaltout F (1992) Studies on Mycotoxins in Meat and Meat by Products. MVSc Thesis Faculty of Veterinary Medicine, Moshtohor, Zagazig University Benha branch. https://www.researchgate.net/publication/281316092_Studies_on_Mycotoxins in Meat and Meat by Products,
- 108. Shaltout FAM (1996) Mycological and Mycotoxicological profile Of Some Meat products. Ph D Thesis Faculty of Veterinary Medicine Moshtohor Zagazig University Benha branch https://agris.fao.org/search/en/providers/122598/rec ords/6472252577fd37171a72a8f9.
- 109. Shaltout F (1998) Proteolytic Psychrotrophes in Some Meat products. Alex Vet Med J 14: 97-107.
- 110. Otoo EA, Ocloo FCK, Appiah V (2022) Effect of Gamma Irradiation on Shelf Life of Smoked Guinea Fowl (Numida Meleagris) Meat Stored at Refrigeration Temperature. Radiat. Phys Chem 194: 110041.
- 111. Shaltout F, Mohamed AH El-Shater, Wafaa Mohamed Abd

- El-Aziz (2015) Bacteriological assessment of Street Vended Meat Products sandwiches in kalyobia Governorate. BENHA VETERINARY MEDICAL JOURNAL 28: 58-66.
- 112. Sedeh FM, Arbabi K, Fatolahi H, Abhari M (2007) Using Gamma Irradiation and Low Temperature on Microbial Decontamination of Red Meat in Iran. Indian J Microbiol 47: 72-76
- 113. Shaltout F, Mohamed A El shatter, Heba M Fahim (2019) Studies on Antibiotic Residues in Beef and Effect of Cooking and Freezing on Antibiotic Residues Beef Samples. Scholarly Journal of Food and Nutritionm 2: 1-4
- 114. Shaltout F, Zakaria IM, Nabil ME (2018) Incidence of Some Anaerobic Bacteria Isolated from Chicken Meat Products with Special Reference to Clostridium perfringens. Nutrition and Food Toxicology 2: 429-438.
- 115. Gunes G, Deniz Tekin M (2006) Consumer Awareness and Acceptance of Irradiated Foods: Results of a Survey Conducted on Turkish Consumers. LWT 39: 444-448.
- 116. Shaltout F, Ahmed AA Maarouf, Mahmoud ES Elkhouly (2017) Bacteriological Evaluation of Frozen Sausage. Nutrition and Food Toxicology 1: 174-185.
- 117. Rastogi RP, Richa, Kumar A, Tyagi MB, Sinha RP (2010) Molecular Mechanisms of Ultraviolet Radiation-Induced DNA Damage and Repair. J Nucleic Acids 2010: 592980.
- 118. Shaltout F, El-Toukhy EI, Abd El-Hai MM (2019) Molecular Diagnosis of Salmonellae in Frozen Meat and Some Meat Products. Nutrition and Food Technology Open Access 5: 1-6.
- 119. Shaltout F, Ali AM, Rashad SM (2016) Bacterial Contamination of Fast Foods. Benha Journal of Applied Sciences (BJAS) 1: 45-51.
- 120. Shaltout F (2019) Food Hygiene and Control. Food Science and Nutrition Technology 4: 1-2.
- 121. Hassanin FS, Shaltout F, Seham N Homouda, Safaa M Arakeeb (2019) Natural preservatives in raw chicken meat. Benha Veterinary Medical Journal 37: 41-45.
- 122. Hazaa W, Shaltout F, Mohamed El-Shate (2019) Prevalence of some chemical hazards in some meat products. Benha Veterinary Medical Journal 37: 32-36.
- 123. Park JG, Yoon Y, Park JN, Han IJ, Song BS, et al. (2010) Effects of Gamma Irradiation and Electron Beam Irradiation on Quality, Sensory, and Bacterial Populations in Beef Sausage Patties. Meat Sci 85: 368-372.
- 124. Hazaa W, Shaltout F, Mohamed El-Shater (2019) Identification of Some Biological Hazards in Some Meat Products. Benha Veterinary Medical Journal 37: 27-31.
- 125. Indiarto R, Pratama AW, Sari TI, Theodora HC (2020) Food Irradiation Technology: A Review of the Uses and Their Capabilities. SSRG Int J Eng Trends Technol 68: 91-98.
- 126. Gaafar R, Hassanin FS, Shaltout F, Marionette Zaghloul (2019) Molecular detection of enterotoxigenic Staphylococcus aureus in some ready to eat meat-based sandwiches. Benha Veterinary Medical Journal 37: 22-26.
- 127. Gaafar R, Hassanin FS, Shaltout F, Marionette Zaghloul (2019) Hygienic profile of some ready to eat meat product sandwiches sold in Benha city, Qalubiya Governorate, Egypt. Benha Veterinary Medical Journal 37: 16-21.
- 128.Indiarto R, Qonit MAH (2020) A Review of Irradiation Technologies on Food and Agricultural Products. Int J Sci Technol Res 9: 4411-4414.
- 129. Shaltout F (2020) Microbiological quality of chicken carcasses at modern Poultry plant. The 3rd Scientific Conference, Faculty of Vet Med Benha University 3.
- 130.Shaltout F, Abdel Aziz AM (2004) Salmonella enterica Serovar Enteritidis in Poultry Meat and their Epidemiology

J Pathol Res Rev Rep, 2024 Volume 6(5): 6-8

- .Vet Med J Giza 52: 429-436.
- 131.Song BS, Lee Y, Park JH, Kim JK, Park HY et al. (2018) Toxicological and Radiological Safety of Chicken Meat Irradiated with 7.5 MeV X-rays. Radiat. Phys Chem 144: 211-217
- 132. Shaltout F, Abdel Aziz AM (2004) ESCHERICHIA COLI STRAINS IN SLAUGHTERED ANIMALS AND THEIR PUBLIC HEALTH IMPORTENCE. J Egypt Vet Med Association 64: 7-21.
- 133. Shaltout F, Amin R, Marionet Z, Nassif, Shimaa, et al. (2014) Detection of aflatoxins in some meat products. Benha veterinary medical journal 27: 368-374.
- 134.Bintsis T (2017) Foodborne Pathogens. AIMS Microbiol 3: 529-563.
- 135. Shaltout F, Afify, Jehan Riad EM, Abo Elhasan, Asmaa A (2012) Improvement of microbiological status of oriental sausage. Journal of Egyptian Veterinary Medical Association 72: 157-167.
- 136. Shaltout F, Daoud JR (1996) Chemical analytical studies on rabbit meat and liver. Benha Vet Med J 8: 17-27.
- 137. Hassan MA, Shaltout F, Arfa MM, Mansour AH, Saudi KR (2013) BIOCHEMICAL STUDIES ON RABBIT MEAT RELATED TO SOME DISEASES. BENHA VETERINARY MEDICAL JOURNAL 25: 88-93.
- 138.Farkas J (2006) Irradiation for Better Foods. Trends Food Sci Technol 17: 148-152.
- 139.Hassan MA, Shaltout F (1997) Occurrence of Some Food Poisoning Microorganisms In Rabbit Carcasses Alex J Vet Science 13: 55-61.
- 140. Hassan M, Shaltout FA, Saqur N (2020) Histamine in Some Fish Products. Archives of Animal Husbandry & Dairy Science 2: 1-3.
- 141.Hassan MA, Shaltout F (2004) Comparative Study on Storage Stability of Beef, Chicken meat, and Fish at Chilling Temperature. Alex J Vet Science 20: 21-30.
- 142. Bonomo LA (2023) Critical Analysis Risk Assessment: Food Irradiation: Pro or Con? ESSAI 4.
- 143. Hassan MA, Shaltout F, Arafa MM, Mansour AH, Saudi KR (2013) Biochemical studies on rabbit meat related to some diseases. Benha Vet Med J 25: 88-93.
- 144. Hassan MA, Shaltout F, Maarouf AA, El-Shafey WS (2014) Psychrotrophic bacteria in frozen fish with special reference to pseudomonas species. Benha Vet Med J 27: 78-83.
- 145. Hassan MA, Shaltout F, Arafa MM, Mansour AH, Saudi KR (2013) Bacteriological studies on rabbit meat related to some diseases Benha Vet Med J 25: 94-99.
- 146. Hassanin FS, Hassan MA, Shaltout F, Nahla A Shawqy, Ghada A Abd-Elhameed (2017) Chemical criteria of chicken meat. BENHA VETERINARY MEDICAL JOURNAL 33: 457-464.
- 147. Shaltout F (1999) Anaerobic Bacteria in Vacuum Packed Meat Products. Benha Vet Med J 10: 1-10.
- 148. Fajardo Guerrero M, Rojas Quintero C, Chamorro Tobar I, Zambrano C, Sampedro F, et al. (2020) Exposure Assessment of Salmonella Spp in Fresh Pork Meat from Two Abattoirs in Colombia. Food Sci Technol Int 26: 21-27.
- 149. Shaltout F (2000) Protozoal Foodborne Pathogens in some Meat Products. Assiut Vet Med J 42: 54-59.
- 150.Shaltout F (2001) Quality evaluation of sheep carcasses slaughtered at Kalyobia abattoirs. Assiut Veterinary Medical Journal 46: 150-159.
- 151. Shahi S, Khorvash R, Goli M, Ranjbaran SM, Najarian A, et al. (2021) Review of Proposed Different Irradiation Methods to Inactivate Food-Processing Viruses and Microorganisms. Food Sci Nutr 9: 5883-5896.

- 152. Shaltout F (2002) Microbiological Aspects of Semi-cooked Chicken Meat Products. Benha Vet Med J 13: 15-26.
- 153.Mkhungo MC, Oyedeji AB, Ijabadeniyi OA (2018) Food Safety Knowledge and Microbiological Hygiene of Households in Selected Areas of Kwa-Zulu Natal, South Africa. Ital J Food Saf 7: 126-130.
- 154.Shaltout F (2003) Yersinia Enterocolitica in some meat products and fish marketed at Benha city. The Third international conference Mansoura https://www.researchgate.net/publication/281319394_Yersinia_Enterocolitica_in_some meat products and fish marketed at Benha city.
- 155. Shaltout F, Hashim MF (2002) Histamine in salted, Smoked and Canned Fish products. Benha Vet Med J 13: 1-11.
- 156. Yeh Y, de Moura FH, Van Den Broek K, de Mello AS (2018) Effect of Ultraviolet Light, Organic Acids, and Bacteriophage on Salmonella Populations in Ground Beef. Meat Sci 139: 44-48.
- 157. Shaltout F, Hashim MF, Elnahas (2015) Levels of some heavy metals in fish (tilapia nilotica and Claris lazera) at Menufia Governorate. Benha Vet Med J 29: 56-64.
- 158. Shaltout F, Ibrahim HM (1997) Quality evaluation of luncheon and Alexandrian sausage. Benha Vet Med J 10: 1-10.
- 159. Gómez I, Janardhanan R, Ibañez FC, Beriain MJ (2020) The Effects of Processing and Preservation Technologies on Meat Quality: Sensory and Nutritional Aspects. Foods 9: 1416.
- 160. Shaltout F, Nassif M, Shakran A (2014) Quality of battered and breaded chicken meat products. Global Journal of Agriculture and Food Safety Science 1.
- 161. Shaltout F, Amani M Salem, Mahmoud KA (2013) Bacterial aspect of cooked meat and offal at street vendors level .Benha veterinary medical journal 24: 320-328.
- 162.Edris AM, Hemmat MI, Shaltout F, Elshater MA, Eman FMI (2012) CHEMICAL ANALYSIS OF CHICKEN MEAT WITH RELATION TO ITS QUALITY. BENHA VETERINARY MEDICAL JOURNAL 23: 87-92.
- 163.Edris AM, Shaltout F, Abd Allah AM (2005) Incidence of Bacillus cereus in some meat products and the effect of cooking on its survival. Zag Vet J 33: 118-124.
- 164. Chun HH, Kim JY, Lee BD, Yu DJ, Song KB (2010) Effect of UV-C Irradiation on the Inactivation of Inoculated Pathogens and Quality of Chicken Breasts during Storage. Food Control 21: 276-280.
- 165. Edris AM, Shaltout F, Arab WS (2005) Bacterial Evaluation of Quail Meat. Benha Vet Med J 16:1-14.
- 166. Edris AM, Shaltout F, Salem GH, El-Toukhy EI (2011) Incidence and isolation of Salmonellae from some meat products. Benha University, Faculty of Veterinary Medicine, Fourth Scientific Conference 172-179.
- 167. Singh R, Singh A (2019) Food Irradiation: An Established Food Processing Technology for Food Safety and Security. Def Life Sci J 4: 206-213.
- 168. Edris AA, Hassanin FS, Shaltout F, Azza H Elbaba, Nairoz M Adel (2017) Microbiological Evaluation of Some Heat Treated Fish Products in Egyptian Markets. EC Nutrition 12: 134-142.
- 169.Edris AM, Shaltout F, Salem GH, El-Toukhy EI (2011) Plasmid profile analysis of Salmonellae isolated from some meat products. Benha University, Faculty of Veterinary Medicine, Fourth Scientific Conference194-201.
- 170. Amiri A, Zandi H, Khosravi HM (2019) Effect of Electron Beam Irradiation on Survival of Escherichia Coli O157:H7 and Salmonella Enterica Serovar Thyphimurium in Minced Camel Meat during Refrigerated Storage. J Food Qual. Hazards Control 6: 174-178.

J Pathol Res Rev Rep, 2024 Volume 6(5): 7-8

Citation: Fahim Shaltout (2024) Application of Irradiation in Food Preservation and Production. Journal of Pathology Research Reviews & Reports. SRC/JPR-190. DOI: doi.org/10.47363/JPR/2024(6)173

171.Ragab A, Abobakr M Edris, Fahim AE Shaltout, Amani M Salem (2022) Effect of titanium dioxide nanoparticles and thyme essential oil on the quality of the chicken fillet. BENHA VETERINARY MEDICAL JOURNAL 41: 38-40.

Copyright: ©2024 Fahim Shaltout. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

J Pathol Res Rev Rep, 2024 Volume 6(5): 8-8