# Journal of Food Technology & Nutrition Sciences



### **Opinion Article**

Open @ Access

## New Stage of Agriculture Development, Agriculture High-Quality Development

Zhongsheng Guo<sup>1,2</sup>

<sup>1</sup>Northwestern A & F University, Yangling, China

<sup>2</sup>ISWC, CAS and MWR, 26 Xinong Road, Yangling, Shaanxi Province, P. R. China

#### ABSTRACT

Agricultural development has gone through a long process. There are different concepts of agriculture such as ecological agriculture, organic agriculture, smart agriculture and data agriculture and so on. After a review of literatures, the results showed that the direction of Agriculture development is Agriculture High-quality development. Agriculture High-quality development is that people take effective measures to get the maximum yield and benefit. Only in this way, land can produce more better and health food and service to meet the people's needs for a better life and safe food.

#### \*Corresponding author

Zhongsheng Guo, Northwestern A & F University, ISWC, CAS and MWR, 26 Xinong Road, Yangling, Shaanxi Province, Tel: +86-29-87012411; P. R. China.

Received: December 13, 2024; Accepted: December 16, 2024; Published: December 23, 2024

#### Introduction

Agricultural development has gone through a long process. Because primitive agriculture cannot produce more better and health food and service to meet the people's needs for a better life and crop types, yields and quality. There are different concepts of agriculture such as ecological agriculture, organic agriculture smart agriculture and data agriculture and so on. Organic agricultural practices respond to and offer alternatives to the health and environmental problems related to conventional technologies and practices of production and embrace many alternative ideals such as alternative distribution and retailing networks and the counter-cultural wholefoods movement [1,2].

According to the efficiency of resource utilization by plants, the whole process of agricultural development can be divided into three stages: Low level development stage or primitive agriculture, Level improvement stage and high-quality development new stage.

At Low level development stage or primitive agriculture, people pick up wild fruits and rely on nature for a living because science and technology are underdevelopment and people labor productivity are low. Now, there are some areas to continue to carry out this kind Agriculture. For example, in China or over the world, there are still some primitive tribes.

At the Level improvement stage, people start to select or cultivate better plant species, weeding, producing and applicating fertilizer and irrigating, if there are water resources, to increase food kinds, improving quality and amount of food. The turning point from the low level of development to the level of improvement is plant domestication and animal introduction domestication, the development of gathering economy to planting economy, and highquality development new stage. At the high-quality development new stage, people take effective measures to get the maximum yield and benefit. The turning point from the level of improvement to high-quality development new stage is the overapplication of chemical fertilizer and the overuse of pesticides in the production process, which is not ensure agriculture high yield and benefit but easily cause environment and healthy problem.

Because the indicator plant in original vegetation is dominate species, especially constructive species, the uppermost dominant species, which is native to the local region because for a long time they have developed a good relationship with the local condition, plant resources relationship is very harmony and plant grow well and bear fruit but the goods and service cannot meet people's need, a lot of original vegetation has been changed into non-native plantation such as Saskatoon berries in the semiarid region, China, they grow and develop well, suitable for local climate, easy to develop. But another plant, such as corn and red plum apricot, they are not suited to the local climate and need to regulate plant resource relationships. So, to carry out sustainable use of natural resources and Agriculture high quality production, we must use the natural resources in sustainable way. To achieve this goal, we must take the theories of resources use limit by plants, vegetation carrying capacity and the critical period of plant resources relation regulation as a guild, select excellent tree species or varieties, take appropriate initial plant density and take effective measures to ensure plant grow well and get the cultivated goal, maximum yield and beneficial. If there are plants that are overusing natural resources because the plant density exceeds the vegetation capacity or underuse natural resources, the plant resources relation should be regulated by the vegetation carrying capacity, especially the vegetation carrying capacity in the critical period of plant resources relation regulation. If available natural resources in crown or root are smaller than the natural resources use limit by plants, the plant

Citation: Zhongsheng Guo (2024) New Stage of Agriculture Development, Agriculture High-Quality Development. Journal of Food Technology & Nutrition Sciences. SRC/JFTNS-251. DOI: doi.org/10.47363/JFTNS/2024(6)197

resources relationship enters the critical period of plant resources relation regulation, and the ending time of the critical period of plant resources relation regulation is the ineffective time of plant resources relation regulation. The vegetation carrying capacity is the ability of nature resources to carry vegetation, and soil water vegetation carrying capacity is the ability of nature resources to carry vegetation, which changes with plant species, times and location [3,4]. We should select better species or varieties, take suitable initially planting density and effective measures, such as weeding if weed influence the plant grow, fertilizing, the fertilizing amount is smaller than and equal suitable fertilizing amount, and irrigation (if there are water resources and irrigation amount is smaller than and equal to suitable irrigation amount) to ensure plant growth well in the process of production and get the cultivated goal, maximum yield and effect. If the plant density in the critical period of plant resources relation regulation is more than the vegetation carrying capacity, showing that the plant resources relationship should be regulated, otherwise the further increase plant use natural resources will lead overuse of natural resources because available natural resources is more than natural resources used by plant, which will lead to the decline of vegetation and the decline of grain yield and quality [3-11].

Because of the large agricultural area and the increasing population, which has exceeded 8 billion at present, different regions have different climate, and crops suitable for growth, climate change with time, so it is necessary to strengthen the research on the selection of excellent plant species or varieties, determination appropriate initial plant density, resources use limit by plants, vegetation carrying capacity, the critical period of plant resources relation regulation to get maximum yield and service and realize agricultural high-quality development and meet people's needs for a better life and safe food [12-40].

#### Acknowledgements

This project was supported by the National Science Foundation of China (Project No: 42077079,41271539-41071193) and Study on high quality sustainable development of soil and water conservation (A2180021002). We thank two anonymous reviewers for their helpful suggestions.

#### **Competing Financial Interests Statement**

There are no competing financial interests

#### References

- 1. Li L, Huang X, Yang H (2023) Scenario-based urban growth simulation by incorporating ecological-agricultural-urban suitability into a Future Land Use Simulation model. Cities 137: 104334.
- 2. Squalli J, Adamkiewicz G (2023) The spatial distribution of agricultural emissions in the United States: The role of organic farming in mitigating climate change. Journal of Cleaner Production 414: 137678.
- 3. Guo Z (2014) Theory and Practice on soil water carrying capacity for vegetation. Land Degradation and Development 45-100.
- 4. Guo Z (2023) Forest restoration, resources sustainable use and high-quality sustainable management. Glob J Ecol 8: 7-10.
- Guo Z, Shao M, Zhang Y, Wu Q (2002) An layer-dividing approach to the soil water in forest land. In S. Mingan (Ed.), The proceedings of soil physics and ecological environmental construction. Xiaan: Shanxi Science and Technology 74-79.
- 6. Guo Z, Shao M (2003) Vegetation carrying capacity of soil water and soil desiccation in artificial forestry and grassland

in the semiarid regions of Loess Plateau. Chin J ECOL 23: 1640-1647.

- 7. Guo Z, Shao M (2004) Mathematical model for determining vegetation carrying capacity of soil water. J Hydr 35: 95-99.
- 8. Guo Z, Shao M (2010) Effect of Artificial Caragana Caragana korshinskii Forest on Soil Water in the Semiarid Area of Loess Hilly Region. Chin Forest SCI 46: 1-8.
- Guo Z, Shao M (2013) Impact of afforestation density on soil and water conservation of the semiarid Loess Plateau. J Soil Water Conserv 68: 401-410.
- 10. Guo ZS (2021a) Soil water carrying capacity for vegetation. Land Degradation & Development 1-11.
- 11. Guo ZS (2021b) Soil hydrology process and Sustainable Use of Soil Water Resources in Desert Regions. Water 13: 2377.
- 12. Abbo S, Gopher A (2020) Plant domestication in the Neolithic Near East: The humans-plants liaison. Quaternary Science Reviews 242: 106412.
- Budagovski AI (1986) Soil water resources and available water supply of the vegetation cover, Water Resources 12: 317-325.
- Guo JY, Xiaosong Li, Jimmy D Browning Jr, George E Rottinghaus, Dennis B Lubahn (2004) Dietary soy isoflavones and estrone protect ovariectomized ER alpha KO and wildtype mice from carcinogen-induced colon cancer. Journal of Nutrition 134: 179-182.
- 15. Guo Z, Zhang W (2016) Impact of Initial Planting Density on Soil Water Resource Use Limit by Plants. Geoinfor Geostat: An Overview 4: 1.
- 16. Gui Y, Wang Y, He S, Yang J (2022) Self-powered smart agriculture real-time sensing device based on hybrid wind energy harvesting triboelectric-electromagnetic nanogenerator. Energy Convers Manag 269: 116098.
- 17. Guo Z, Li Y (2009) Initiation stage to regulate the caragana growth and soil water in the semiarid area of Loess Hilly Region, China. Chin J ECOL 29: 5721-5723.
- Guo Z (2009) Limit of vegetation rehabilitation for soil and water conservation in semi-arid region of Loess Plateau. Chin J Science Soil Water Conserv 7: 49-54.
- 19. Guo Z (2010) Soil water resource use limit in semi-arid loess hilly area. Chin J App Eco 21: 3029-3035.
- 20. Guo Z (2011) A Review of Soil Water Carrying Capacity for Vegetation in Water-Limited Regions. Chinese Journal of Forest Science 47: 140-144.
- 21. Guo Z (2019) Rice carrying capacity and sustainable produce of rice in resources-limited regions. Int J Agric Sc Food Technol 5: 54-57.
- 22. Guo Z (2020) Estimating Method of Maximum Infiltration Depth and Soil Water Supply, Scientific Reports 10: 9726.
- 23. Guo Z (2022) High-quality development of agriculture, Encyclopedic Forum 10: 64-66.
- 24. Jose Iriarte, Sarah Elliott, S Yoshi Maezumi, Daiana Alves, Regina Gonda (2020) The origins of Amazonian landscapes: Plant cultivation, domestication and the spread of food production in tropical South America. Quaternary Science Reviews 248: 106582.
- 25. Kaur J, Kaur G (2015) An insight into the role of citrus bioactives in modulation of colon cancer. Journal of Functional Foods 13: 239-261.
- 26. Ko Y, Jeong J, Choi Y, Ryu C (2013) Soy soluble polysaccharide induces apoptosis in HCT-116 human colon cancer cells via reactive oxygen species generation. Molecular Medicine Reports 8: 1767-1772.
- 27. Max Leenders, Peter D Siersema, Kim Overvad, Anne Tjønneland, Anja Olsen (2015) Subtypes of fruit and

vegetables, variety in consumption and risk of colon and rectal cancer in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer 137: 2705-2714.

- 28. Long Li, Xianjin Huang, Hong Yang (2023) Scenario-based urban growth simulation by incorporating ecologicalagricultural-urban suitability into a Future Land Use Simulation model. Cities 137: 104334.
- 29. Moyo M, Aremu AO, Staden JV (2018) Deciphering the growth pattern and phytohormonal content in Saskatoon berry (Amelanchier alnifolia) in response to in vitro cytokinin application. New Biotechnology 42: 85-94.
- Shuhua Shan, Zongwei Li, Songjia Guo, Zhuoyu Li, Tonglin Shi (2014) A millet bran-derived peroxidase inhibits cell migration by antagonizing STAT3-mediated epithelialmesenchymal transition in human colon cancer. Journal of Functional Foods 10: 444-455.
- Sharma H, Haque A, Jaffery ZA (2019) Maximization of wireless sensor network lifetime using solar energy harvesting for smart agriculture monitoring. Ad Hoc Network 94: 101966.
- 32. Amy M Sheflin, Erica C Borresen, Jay S Kirkwood, Claudia M Boot, Alyssa K Whitney (2017) Dietary supplementation with rice bran or navy bean alters gut bacterial metabolism in colorectal cancer survivors. Molecular Nutrition & Food Research. https://pubmed.ncbi.nlm.nih.gov/27461523/.
- Jiangying Shi, Shuhua Shan, Hanqing Li, Guisheng Song, Zhuoyu Li (2017) Anti-inflammatory effects of millet bran derived-bound polyphenols in LPS-induced HT-29 cell via ROS/miR-149/Akt/NFkappa B signaling pathway. Oncotarget 8: 74582-74594.

- 34. Singh B, Singh JP, Kaur A, Singh N (2020) Phenolic composition, antioxidant potential and health benefits of citrus peel. Food Research International 132: 109114.
- 35. Paola Signorelli, Carlotta Fabiani, Andrea Brizzolari, Rita Paroni, Josefina Casas (2015) Natural grape extracts regulate colon cancer cells malignancy. Nutrition and Cancer-An International Journal 67: 494-503.
- Sharma H, Haque A, Jaffery ZA (2019) Maximization of wireless sensor network lifetime using solar energy harvesting for smart agriculture monitoring. Ad Hoc Network 94: 101966.
- Sung H, Lim Y, Choi Y (2006) Soy isoflavones do not alter the effects of fructooligosaccharide on the intestinal ecosystem of colon-cancer model rats. Food Science and Biotechnology 15: 931-936.
- Tang M, Wang X, Ahmed A (2023) Recovering breeze energy based on galloping enhancement mechanism for smart agriculture. Sustainable Energy Technologies and Assessments 59: 103419.
- 39. Yu H, He W (2021) Plant invaders outperform congeneric natives on amino acids. Basic and Applied Ecology 54: 75-84.
- 40. Wehrmaker RM, Draijer N, Bosch G, Atze JVD Goot (2021) Evaluation of plant-based recipes meeting nutritional requirements for dog food: the effect of fractionation and ingredient constraints, Animal Feed Science and Technology 290: 115345.

**Copyright:** ©2024 Zhongsheng Guo. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.